



visight

Safety and Quality are Elements of **Victorious Sight**

	FIREGUARD 45™ GYPSUM BOARD		5/8 x 4 x 12	TOUGHROCK™ TAPERED EDGE SIZE: 0.61 IN x 3 FT 11-23/32 IN x 11 FT 11
	FIREGUARD X™ GYPSUM BOARD		5/8 x 4 x 12	TOUGHROCK™ TAPERED EDGE SIZE: 0.61 IN x 3 FT 11-23/32 IN x 11 FT 11
	FIREGUARD C® GYPSUM BOARD		1/2 x 4 x 12	
	FIREGUARD X™ MOLD-GUARD™ ABUSE RESISTANT GYPSUM BOARD		5/8 x 4 x 12	
	FIREGUARD X™ GYPSUM SHEATHING		5/8 x 4 x 12	
	FIREGUARD X™ VENEER PLASTER BASE		5/8 x 4 x 12	
	LITE-WEIGHT FIRE-RATED GYPSUM BOARD		5/8 x 4 x 12	
	GYPSUM BOARD		5/8 x 4 x 12	
	MOLD-GUARD™ GYPSUM BOARD		5/8 x 4 x 12	
	MOLD-GUARD™ LITE-WEIGHT GYPSUM BOARD		5/8 x 4 x 12	
	GYPSUM SHEATHING		5/8 x 4 x 12	
	VENEER PLASTER		5/8 x 4 x 12	
	VENEER PLASTER		5/8 x 4 x 12	
	SPAN 24 LITE-WEIGHT		5/8 x 4 x 12	
	BASEMENT BOARD		5/8 x 4 x 12	

PRODUCT CATALOG

Gypsum Edge Tape



TYPICAL PROPERTIES

MATERIAL	Kraft paper
ADHESIVE	Starch glue
INITIAL ADHESION	≥12
HOLDING POWER	≥24h
RELEASE FORCE	≥200N/25mm
PAPER WEIGHT	60~70GSM
THICKNESS	0.1mm
WIDTH	50~60mm (<i>customization available</i>)
LENGTH	1000m

DESCRIPTION



VISIGHT edge tape for gypsum board made of stable quality kraft paper. It can be wiped just with water without any waste, which bringing you high adhesive strength. Customization for customers' requirements of various specifications and colors are available. The standard specification of gypsum edge tape is W50mm * L1000m.

VISIGHT provides custom-made gypsum board edge tape, thickness, width and length can all be tailored-made according to the requirements. Models can be customized and OEM color printing is available. The gypsum board edge tape plays a role in protecting the board. In meanwhile, the company logo and slogan on the cover are aesthetic, which can bring your company product reputation and publicity.

Gypsum Edge Tape

FEATURES


- Durable with stable quality
- Excellent viscosity, water wiped without waste.
- Food-grade materials, recyclable and environmentally friendly
- No noise during usage
- Standardized production with accurate specification.
- Customizations (OEM) are supported.

PACKING & STORAGE


Packing: 2rolls per plastic bag and paper carton

Store in a dry, clean and ventilated warehouse, avoid contact with rain and moisture.

PRODUCT PRESENTATION



● Product Case 01



● Product Case 02



● Product Case 03



● Product Case 04




● Manufacture 01



● Manufacture 02




● Product 01





● Product 01


WUHAN VISIGHT INTERNATIONAL TRADE CO., LTD

 www.vi-sight.com

 86-27-86951753

 86-27-86951753

 info@vi-sight.com

 Wuhan City, Hubei Prov., China